Application Guide 3

AQP® and StartLite® Racing Hose and Fittings 6

AQP®SOCKETLESS™ Hose and Fittings 11

A/C Hose and Fittings 13

Teflon* Racing Hose and Fittings 15

Pre-Made Off-Road Brakelines and Power Trim Assemblies 17

High Pressure (Power Steering) Hose and Fittings 18

Adapters 19

Fuel System Components .....

Couplings 35

Accessories 37

Assembly Equipment 40

Assembly Instructions 44

Technical Data 49

Plan-O-Grams 56

Part Number Index 57

Fo[illegible]

Ef[illegible]

EATON SHALL NOT BE SUBJECT TO AND DISCLAIMS ANY OBLIGATION OR LIABILITIES, INCLUDING BUT NOT LIMITED TO ALL CONSEQUENTIAL, INCIDENTAL AND CONTINGENT DAMAGES, ARISING OUT OF BREACH OF CONTRACT OR OF WARRANTY OR ARISING FROM TORT CLAIMS, INCLUDING WITHOUT LIMITATION NEGLIGENCE AND STRICT LIABILITY OR OTHER THEORIES OF LAW WITH RESPECT TO ANY HOSE ASSEMBLIES NOT PRODUCED FROM GENUINE EATON APPROVED EQUIPMENT, AND IN CONFORMANCE WITH EATON PROCESS AND PRODUCT INSTRUCTIONS FOR EACH SPECIFIC HOSE ASSEMBLY.

Fo[illegible]

Note: Pa[illegible]

*[illegible]

- Air Pneumatic Pulsing
- [illegible]
- Elastomer (1000 psi 04 to 12)

- AQP [illegible]
- -45F to +300F [illegible]
- Applications [illegible]
- Fluids -10, -12, and 16

rÔ Ô éé Íks [ÔÚÚÖãy [illegible]

See page 6

- Air Pneumatic Pulsing [illegible]
- [illegible] 45% [illegible]
- 350-500 psi [illegible]

- Fluid Nitrogen [illegible]
- AQP [illegible]
- -45F to +300F [illegible]
- Applications [illegible]

rÔ Ô éé Íks [ÔÚÚÖãy [illegible]

See page 6

- Equipment [illegible] *SOCKETLESS* fitting
- [illegible] AQP [illegible]
- AQP [illegible]

- -45F to +300F [illegible]
- Available 04 to 12; [illegible] 06 to 12
- [illegible] 28 in Hg [illegible] 04 to 08
- Operating [illegible] 250 psi
- Nitrogen [illegible]

rÔ Ô éé Íks [ÔÚÚÖãy [illegible]

See page 11

- [illegible]
- Nylon [illegible]

- Equipment [illegible] R134a [illegible]
- [illegible] A/C fitting [illegible]

rÔ Ô éé Íks [ÔÚÚÖãy [illegible]

See page 13

- [illegible]
- [illegible]

- Elastomer [illegible]
- -100F to +450F [illegible]
- Applications [illegible]
- Elastomer (2500 psi [illegible] 06)

rÔ Ô éé Íks [ÔÚÚÖãyÔ [illegible] $_2$O, [illegible] N [illegible]

See page 15

- [illegible]
- Elastomer (2250 psi [illegible] 06)
- Available [illegible]

- AQP [illegible]
- -45F to +300F [illegible]
- Applications [illegible]

rÔ Ô éé Íks [ÔÚÚÖãy [illegible] DOT [illegible]

See page 18

* Non-Kalrez Elastomer

AQP® RACING HOSE

Stainless steel braid for
ãëéŠþ£ÚþÇéŠþ´ÚþÑ [ÖsŠÎ

AQP Ríg[illegible]

AQP Ríg[illegible]
HóAQP[illegible]

éé£s[Ç£ÚÖãyÇ
Fí[illegible]

STARTLITE® RACING HOSE

HOSE SPECIFICATIONS

ORDERING INFORMATION

Hose Dash Size	Hose I.D.	Hose O.D.	Max. Operating Pressure	Min. Bend Radius	Weight Per Foot	Vacuum Service	Bulk Part Number	Package Length Part Number					
	INCHES	INCHES	PSI	INCHES	POUNDS	INCHES/HG		3 FEET	6 FEET	10 FEET	15 FEET	20 FEET	50 FEET
-04	.22	.43	500	2.00	.05	20	FBU0400	FCU0403	FCU0406	FCU0410	FCU0415	FCU0420	FCU0450
-06	.34	.55	500	2.50	.08	20	FBU0600	FCU0603	FCU0606	FCU0610	FCU0615	FCU0620	FCU0650
-08	.44	.64	500	3.50	.09	20	FBU0800	FCU0803	FCU0806	FCU0810	FCU0815	FCU0820	FCU0850
-10	.56	.80	500	4.00	.14	20	FBU1000	FCU1003	FCU1006	FCU1010	FCU1015	FCU1020	FCU1050
-12	.69	.93	350	4.50	.16	20	FBU1200	FCU1203	FCU1206	FCU1210	FCU1215	FCU1220	FCU1250
-16	.88	1.15	350	5.50	.19	20	FBU1600	FCU1603	FCU1606	FCU1610	FCU1615	FCU1620	FCU1650
-20	1.13	1.41	350	5.50	.25	20	FBU2000	FCU2003	FCU2006	FCU2010	FCU2015	FCU2020	FCU2050

'ÚÖãÇþësÇ£ÚÖy AQP [illegible]
LŠÑéŠþ[Çëþ§Çl [Ö»§y -45F to +300F (-43C to +150C).

Fo[illegible] AQP [illegible]
pri[illegible]

Please see Pages 44-48 for assembly instructions. *N[illegible]

&ëíìÇÚþÇl§Ç[ÁÇG[sì[»§}ÇG[þÇã
FB-[illegible] **FC-[illegible]**
M[illegible]

Bulk or Retail Packaged Parts
FB-[illegible]
M[illegible]

FC-[illegible]

This page is part of a complete catalog containing technical and safety data that must be reviewed when selecting a product.

150° ELBOW FITTING

Hose Size	Reusable Black Anodized Aluminum Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Reusable Red/Blue Anodized Aluminum Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Reusable Red/Blue Anodized Aluminum Non-Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Lightweight Crimp Swivel S.A.E. 37° (JIC/AN)) Bulk Part Number
-04	—	—	—	FBM4151[1]
-06	FCM4452	FCM4052	FCM1052	FBM4252
-08	FCM4453	FCM4053	FCM1053	FBM4253
-10	FCM4454	FCM4054	FCM1054	FBM4254
-12	FCM4455	FCM4055	FCM1055	FBM4255
-16	FCM4456	FCM4056	FCM1056	FBM4256

180° ELBOW FITTING

Hose Size	Reusable Black Anodized Aluminum Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Reusable Red/Blue Anodized Aluminum Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Reusable Red/Blue Anodized Aluminum Non-Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Lightweight Crimp Swivel S.A.E. 37° (JIC/AN)) Bulk Part Number
-06	FCM4462	FCM4062	FCM1062	—
-08	FCM4463	FCM4063	FCM1063	FBM4263
-10	FCM4464	FCM4064	FCM1064	FBM4264
-12	FCM4465	FCM4065	FCM1065	FBM4265
-16	FCM4466	FCM4066	FCM1028	FBM4266

TechTip

Routing Made Easy with Swivel Design

Many hose assemblies require angled fittings on both ends to make a connection. Our angled fittings all have a swivel option that eliminates the need to calculate phase angles when attaching the ends and makes installation easier.

Please see Pages 44-48 for assembly instructions.

STRAIGHT FITTING

Hose Size	SOCKETLESS Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number	SOCKETLESS Nickel-Plated Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number	SOCKETLESS Brass Male Pipe Bulk Part Number	Pipe Thread Size	SOCKETLESS Brass Male Flare S.A.E. 37° (JIC/AN) Bulk Part Number	SOCKETLESS Brass Swivel S.A.E. 37° (JIC/AN) Bulk Part Number	SOCKETLESS Brass Male inverted Flare Bulk Part Number
-04	—	—	FBM1200 FBM1201	1/8 1/4	FBM1444	FBM1231[1]	FBM1211
-06	FCM1512	FCE1512	FBM1207 FBM1202	1/4 3/8	FBM1445	FBM1222	FBM1212
-08	FCM1513	FCE1513	FBM1206 FBM1203	3/8 1/2	—	FBM1233[1]	FBM1213
-10	FCM1514	FCE1514	FBM1204	1/2	—	FBM1234[1]	FBM1214
-12	FCM1515	FCE1515	FBM1205	3/4	—	FBM1225	—

45° ELBOW FITTING

Hose Size	SOCKETLESS Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number	SOCKETLESS Nickel-Plated Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number	SOCKETLESS Steel Swivel S.A.E. 37° (JIC/AN)) Bulk Part Number
-04	—	—	FBM1438
-06	FCM1522	FCE1522	FBM1439
-08	FCM1523	FCE1523	FBM1440
-10	FCM1524	FCE1524	—
-12	FCM1525	FCE1525	—

120° ELBOW FITTING

Hose Size	SOCKETLESS Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number
-06	FCM1542
-08	FCM1543
-10	FCM1544
-12	FCM1545

90° ELBOW FITTING

Hose Size	SOCKETLESS Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number	SOCKETLESS Nickel-Plated Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number	SOCKETLESS Steel Swivel S.A.E. 37° (JIC/AN)) Bulk Part Number
-04	—	—	FBM1441
-06	FCM1532	FCE1532	FBM1442
-08	FCM1533	FCE1533	FBM1443
-10	FCM1534	FCE1534	—
-12	FCM1535	FCE1535	—

150° ELBOW FITTING

Hose Size	SOCKETLESS Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number
-06	FCM1552
-08	FCM1553
-10	FCM1554
-12	FCM1555

STRAIGHT -08 TO -06[1]

Hose Size	SOCKETLESS Brass Female Flare Bulk Part Number	Thread Size
-06	FBM1232	3/4-16

180° ELBOW FITTING

Hose Size	SOCKETLESS Aluminum S.A.E. 37° (JIC/AN) Packaged Part Number
-06	FCM1562
-08	FCM1563
-10	FCM1564
-12	FCM1565

A/C HOSE AND FITTINGS

Even Our A/C Lines Look Cool.

Jé§s‹µs[ÍÍĈ}§ā‹»Ö§}ĉ´ÚþĈĜÚēþĈ ć'ĉsÚÑéÚÖ§ÖĈĉ[éé‹s[ĉ‹ÚÖāî

[illegible]

[illegible]

éé‹s[ĉ‹ÚÖāy A[illegible]

-

HOSE SPECIFICATIONS / ORDERING INFORMATION

Hose Dash Size	Hose I.D.	Hose O.D.	Maximum Operating Pressure	Minimum Bend Radius	Weight Per Foot	Bulk Part Number	Package Length Part Number		
	INCHES	INCHES	PSI	INCHES	POUNDS		3 FEET	6 FEET	9 FEET
-06	.33	.44	500	4.00	.08	FBF0600	FCF0603	FCF0606	FCF0609
-08	.43	.54	500	5.25	.10	FBF0800	FCF0803	FCF0806	FCF0809
-10	.51	.63	500	6.50	.14	FBF1000	FCF1003	FCF1006	FCF1009

L§ÑéŝÞ[ĉēÞŝĈI[Ö»§y -40F to +250F (-40C to +121C).

Look As Cool As You Feel.

[illegible]

[illegible]

0§[ĉēÞŝāy

- [illegible] 6, -8, and -10
- N[illegible]
- N[illegible]
- F[illegible] A/C [illegible]
- O-[illegible]
- [illegible]
- E[illegible] R-134a [illegible]
- R[illegible]

TechTip

Lubricant Selection

Always be sure to use the correct system lubricant for your A/C system. Most R-12 systems use mineral oil, while most R-134a systems use a synthetic lubricant called Polyalkylene Glycol (PAG).

Please see Pages 44-48 for assembly instructions.

STRAIGHT FITTING

Hose Size	Reusable Steel Male Pipe[1] Packaged Part Number	Pipe Thread Size	Reusable Steel Swivel S.A.E. 37° (JIC/AN)[1] Packaged Part Number	Reusable Steel Swivel S.A.E. 45° Packaged Part Number	Reusable Steel Inverted Flare S.A.E. Male Packaged Part Number	Fitting Size	Reusable Stainless Steel Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Steel Crimp S.A.E. 37° (JIC/AN) Bulk Part Number
-03	—	—	FCM1100	—	—	—	FCM1130	FBM1124
-04	FCM3088 FCM3089	1/8 1/4	FCM1101	—	—	—	FCM1102	FBM1125
-06	—	—	FCM1103	FCM1134	FCM1137 FCM1138	-05 -06	—	—
-08	—	—	FCM1104	FCM1135	FCM1139	-08	—	—

STRAIGHT

Hose Size	Reusable Steel 10mm Banjo Packaged Part Number
-03	FCM3091

17° ELBOW

Hose Size	Reusable Steel 10mm Banjo Packaged Part Number
-03	FCM3092

45° ELBOW

Hose Size	Reusable Steel S.A.E. 37° (JIC/AN) Packaged Part Number	Reusable Steel S.A.E. 45° Packaged Part Number	Reusable Steel Inverted Flare S.A.E. Male Packaged Part Number	Fitting Size	Forged Adjustable Reusable Stainless Steel Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Steel Crimp S.A.E. 37° (JIC/AN) Bulk Part Number
-03	FCM1110	—	—	—	FCM1140	FBM1126
-04	FCM1111	—	—	—	FCM1146	FBM1127
-06	FCM1112	FCM1114	FCM1155 FCM1141	-05 -06	—	—
-08	FCM1113[1]	FCM1113[1]	FCM1142	-08	—	—

90° ELBOW

Hose Size	Reusable Steel S.A.E. 37° (JIC/AN) Packaged Part Number	Reusable Steel S.A.E. 45° Packaged Part Number	Reusable Steel Inverted Flare S.A.E. Male Packaged Part Number	Fitting Size	Forged Adjustable Reusable Stainless Steel Swivel S.A.E. 37° (JIC/AN) Packaged Part Number	Steel Crimp S.A.E. 37° (JIC/AN) Bulk Part Number
-03	FCM1120	—	—	—	FCM1150	FBM1128
-04	FCM1121	—	—	—	FCM1151	FBM1129
-06	FCM1122	FCM1136	FCM1143 FCM1144	-05 -06	—	—
-08	FCM1123[1]	FCM1123[1]	FCM1145	-08	—	—

REPLACEMENT SLEEVES (5 PER PACKAGE)

Brass Packaged Part Number	Hose Fitting Dash Size
FCM3720	-03
FCM3721	-04
FCM3823	-06
FCM3824	-08

Stainless Steel Packaged Part Number	Hose Fitting Dash Size
FCM3821	-03
FCM3822	-04

Please see Pages 44-48 for assembly instructions. *[illegible]

[1] [illegible] 37° (AN) [illegible] 45° [illegible]

[illegible]

FB-[illegible] FC-[illegible]

M[illegible]

PERFORMANCE PRODUCTS
An Eaton Brand

Abrasion resistant fabric cover for longer life.

AQP H[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

éé[illegible]s[illegible]ÚÖ[illegible]y P[illegible]

[illegible]

[illegible]

[illegible]

[illegible]DOT

[illegible]

HOSE SPECIFICATIONS

ORDERING INFORMATION

Hose Dash Size	Hose I.D.	Hose O.D.	Maximum Operating Pressure	Minimum Bend Radius	Vacuum Service	Bulk Part Number	Package Length Part Number			
	INCHES	INCHES	PSI	INCHES	INCHES/HG		6 FEET	10 FEET	15 FEET	20 FEET
-06	.31	.67	2,250	4.00	28	FBG0600	FCG0606	FCG0610	FCG0615	FCG0620
-08	.41	.77	2,000	4.62	28	FBG0800	FCG0806	FCG0810	FCG0815	FCG0820
-10	.50	.92	1,750	5.50	28	FBG1000	FCG1006	FCG1010	FCG1015	FCG1020
-12	.62	1.08	1,500	6.50	28	FBG1200	FCG1206	FCG1210	FCG1215	FCG1220

'ÚÖ[illegible]s[illegible]ÚÖy AQP [illegible]

L§Ñ é§þ[illegible] I [Ö»§y [illegible]55F to +300F (-49C to +150C), [illegible] +250F (+121C).

STRAIGHT FITTING

Hose Size	Reusable Steel Swivel S.A.E. 37° (JIC/AN) Bulk Part Number	Thread Size	Reusable Steel Male Inverted Flare S.A.E. Bulk Part Number	Thread Size
-06	FBM1302	9⁄16-18	FBM1363	5⁄8-18
-08	FBM1305	3⁄4-16	FBM1365	3⁄4-18
-10	FBM1307	7⁄8-14	—	—
-12	FBM1310	11⁄16-12	—	—

45° ELBOW FITTING

Hose Size	Reusable Steel S.A.E. 37° (JIC/AN) Bulk Part Number	Thread Size	Reusable Steel Male Inverted Flare S.A.E. Bulk Part Number	Thread Size
-06	FBM1386	9⁄16-18	FBM1382	5⁄8-18
-08	FBM1384	3⁄4-16	FBM1383	3⁄4-18
-10	FBM1338	7⁄8-14	—	—
-12	FBM1339	11⁄16-12	—	—

90° ELBOW FITTING

Hose Size	Reusable Steel S.A.E. 37° (JIC/AN) Bulk Part Number	Thread Size	Reusable Steel Male Inverted Flare S.A.E. Bulk Part Number	Thread Size
-06	FBM1389	9⁄16-18	FBM1392	5⁄8-18
-08	FBM1387	3⁄4-16	FBM1394	3⁄4-18
-10	FBM1374	7⁄8-14	—	—
-12	FBM1376	11⁄16-12	—	—

HIGH PRESSURE ADAPTERS

< §[illegible]s[illegible] 'ÚÖ[illegible]§þ[illegible]ÚÖ

A	B	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size
		FCM2608	-06	M16 x 1.5
		FCM2609	-06	M18 x 1.5

Note: Used for Saginaw Power Steering Adapter (metric); also G.M. fuel injection conversion adapter for metric O-ring style porting

Inverted Flare

A	B	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size
		FCM2963	-06	1⁄2-20
		FCM2964	-06	5⁄8-18
		FCM2965	-06	11⁄16-18

Please see Pages 44-48 for assembly instructions.

&[illegible]ÚÖ[illegible] I §[illegible]G[illegible]s[illegible]»§}[illegible]G[illegible]

FB-[illegible] **FC-[illegible]**

M[illegible]

A A A B B B

45° MALE AN TO PIPE (AN 823)

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size INCHES
FCM2020	FCM5020	FCE2020	FCM2581	-03	1/8
FCM2021	FCM5021	FCE2021	FCM2582	-04	1/8
FCM2440	—	—	FCM2584	-04	1/4
FCM2441	—	—	FCM2588	-04	3/8
—	—	—	FCM2583	-05	1/8
—	—	—	FCM2585	-05	1/4
FCM2022	FCM5022	FCE2022	FCM2586	-06	1/4
FCM2442	—	—	FCM2589	-06	3/8
FCM2443	—	—	FCM2592	-06	1/2
FCM2444	—	—	FCM2587	-08	1/4
FCM2023	FCM5023	FCE2023	FCM2590	-08	3/8
FCM2445	—	—	FCM2593	-08	1/2
FCM2446	—	—	FCM2596	-08	3/4
FCM2447	—	—	FCM2591	-10	3/8
FCM2024	FCM5024	FCE2024	FCM2594	-10	1/2
FCM2448	—	—	FCM2597	-10	3/4
FCM2449	—	—	FCM2595	-12	1/2
FCM2025	FCM5025	FCE2025	FCM2598	-12	3/4
FCM2450	—	—	FCM2600	-12	1
—	—	—	FCM2599	-16	3/4
FCM2026	—	—	FCM2601	-16	1
—	—	—	FCM2602	-20	1
FCM2451	—	—	FCM2603	-20	1 1/4

FEMALE PIPE TO MALE AN

B A

Steel Packaged Part Number	"A" Dash Size	"B" Dash Size INCHES
FCM2719	-03	1/8
FCM2720	-03	1/4
FCM2721	-04	1/8
FCM2722	-05	1/8
FCM2723	-04	1/4
FCM2724	-05	1/4
FCM2725	-06	1/4
FCM2726	-08	1/4
FCM2727	-06	3/8
FCM2728	-08	3/8
FCM2729	-06	1/2
FCM2730	-08	1/2
FCM2731	-10	1/2
FCM2732	-12	1/2
FCM2733	-08	3/4
FCM2734	-10	3/4
FCM2735	-12	3/4
FCM2736	-16	1
FCM2737	-20	1 1/4

A A A B B B

90° AN TO PIPE (AN 822)

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size INCHES
FCM2030	FCM5030	FCE2030	FCM2610	-03	1/8
FCM2031	FCM5031	FCE2031	FCM2611	-04	1/8
FCM2032	FCM5032	FCE2032	FCM2614	-04	1/4
—	—	—	FCM2618	-04	3/8
—	—	—	FCM2624	-04	1/2
—	—	—	FCM2612	-05	1/8
—	—	—	FCM2615	-05	1/4
—	—	—	FCM2619	-05	3/8
FCM2033	FCM5033	FCE2033	FCM2613	-06	1/8
FCM2034	FCM5034	FCE2034	FCM2616	-06	1/4
FCM2035	FCM5035	FCE2035	FCM2620	-06	3/8
FCM2290	—	—	FCM2625	-06	1/2
FCM2036	FCM5036	FCE2036	FCM2617	-08	1/4
FCM2037	FCM5037	FCE2037	FCM2621	-08	3/8
FCM2038	FCM5038	FCE2038	FCM2626	-08	1/2
FCM2291	—	—	FCM2629	-08	3/4
FCM2016	FCM5016	FCE2016	FCM2622	-10	3/8
FCM2039	FCM5039	FCE2039	FCM2627	-10	1/2
FCM2292	—	—	FCM2630	-10	3/4
—	—	—	FCM2623	-12	3/8
FCM2017	FCM5017	FCE2017	FCM2628	-12	1/2
FCM2040	FCM5040	FCE2040	FCM2631	-12	3/4
FCM2293	—	—	FCM2633	-12	1
FCM2018	—	—	FCM2632	-16	3/4
FCM2041	—	—	FCM2634	-16	1
—	—	—	FCM2636	-16	1 1/4
—	—	—	FCM2635	-20	1
FCM2294	—	—	FCM2637	-20	1 1/4
—	—	—	FCM2639	-20	1 1/2
—	—	—	FCM2638	-24	1 1/4

AN [illegible]

[illegible]

FB-[illegible]

M[illegible]

FC-[illegible]

MALE PIPE NIPPLE (AN 911)

A B

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Pipe Size INCHES	"B" Pipe Sizes INCHES
FCM2132	FCM5132	FCE2132	1/8	1/8
FCM2133	FCM5133	FCE2133	1/4	1/4
FCM2134	FCM5134	FCE2134	3/8	3/8
FCM2135	FCM5135	FCE2136	1/2	1/2

PIPE COUPLING (AN 910)

A B

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Pipe Size INCHES	"B" Pipe Size INCHES
FCM2129	FCM5129	FCE2129	1/8	1/8
FCM2130	FCM5130	FCE2130	1/4	1/4
FCM2131	FCM5131	—	3/8	3/8

PIPE BUSHING (AN 912)

A B

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Pipe Size INCHES	"B" Pipe Size INCHES
FCM2136	FCM5136	FCE2136	1/4	1/8
FCM2137	FCM5137	FCE2137	3/8	1/4
FCM2138	FCM5138	FCE2138	3/8	1/8
FCM2139	FCM5139	FCE2139	1/2	3/8
FCM2140	FCM5140	FCE2140	1/2	1/4
FCM2141	FCM5141	FCE2141	1/2	1/8
FCM2144	—	—	3/4	1/4
FCM2143	—	—	3/4	3/8
FCM2142	FCM5142	FCE2142	3/4	1/2
FCM2146	—	—	1	1/2
FCM2145	—	—	1	3/4

90° ELBOW, FEMALE TO MALE PIPE ELBOW (AN 914)

A B

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Pipe Size INCHES	"B" Pipe Size INCHES
FCM2147	FCM5147	FCE2147	1/8	1/8
FCM2148	FCM5148	—	1/4	1/4
FCM2149	FCM5149	—	3/8	3/8

VERSIL•FLARE™ FLARELESS TUBE NUT[1]

A

Part Number	Dash Size	Tube O.D.	Thread	A
FCM2496	-04	.25	7/16-20	.82
FCM2497	-06	.38	9/16-18	.86
FCM2498	-08	.50	3/4-16	1.08
FCM2499	-10	.63	7/8-14	1.12
FCM2500	-12	.75	11/16-12	1.35

VERSIL•FLARE™ FLARELESS TUBE FERRULE[1]

37° B A

Part Number	Dash Size	Tube O.D.	A	B
FCM2491	-04	.25	.82	.25
FCM2492	-06	.38	.86	.38
FCM2493	-08	.50	1.08	.50
FCM2494	-10	.63	1.12	.62
FCM2495	-12	.75	1.36	.75

[1] *Versil•Flare* [illegible]

AN [illegible]

This page is part of a complete catalog containing technical and safety data that must be reviewed when selecting a product.

A

chTip

n Concerns

ne of the leading causes of hose failures. AQP Racing great steel “armor cover”, and StartLite offers the indus- sion resistance of any lightweight hose. Regardless of the wayr route the hose correctly and use support clamps See page 52 for routing tips.

AN NUMBERS ARE FOR CONFIGURATION
I *0* I *= ' *Ĉ? = : Vî

Connects to Male AN Flare with hex and O-ring (AN 816, AN 919, AN 832 and O-ring Boss Plug). Refer to Page 24 for O-rings.

TANK WELDING BUNGS (AN 871)



Packaged Part Number	"A" Dash Size	"B"	"C"
FCM2403	-06	1.56	.59
FCM2404	-08	1.75	.68
FCM2405	-10	1.87	.75
FCM2406	-12	2.00	.90
FCM2407	-16	2.25	.93

FLARE TO BRAZE (UNPLATED)



Steel Packaged Part Number	"A" Dash Size	"B" Tube O.D. INCHES	"C" Counterbore Depth
FCM2871	-04	1/4	.16
FCM2872	-06	3/8	.16
FCM2873	-06	1/2	.16
FCM2874	-08	1/2	.16
FCM2875	-10	5/8	.16
FCM2876	-10	3/4	.25
FCM2877	-12	3/4	.25
FCM2878	-12	1	.25
FCM2879	-16	1	.25
FCM2880	-20	1 1/4	.25

BULKHEAD UNION² (AN 832)

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size
FCM2769	FCM5769	FCE2769	FCM2770	-03	-03
FCM2071	FCM5071	FCE2071	FCM2771	-04	-04
—	—	—	FCM2772	-04	-06
—	—	—	FCM2773	-05	-05
FCM2072	FCM5072	FCE2072	FCM2774	-06	-06
FCM2073	FCM5073	FCE2073	FCM2775	-08	-08
FCM2074	FCM5074	FCE2074	FCM2776	-10	-10
FCM2075	FCM5075	FCE2075	FCM2777	-12	-12
FCM2076	FCM5076	FCE2076	FCM2778	-16	-16
FCM2077	FCM5077	FCE2077	FCM2779	-20	-20

45° ELBOW BULKHEAD UNION¹ (AN 837)

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size
FCM2893	FCM5893	—	-03	-03
FCM2127	—	FCM2781	-04	-04
—	—	FCM2782	-05	-05
FCM2128	—	FCM2783	-06	-06
FCM2425	—	FCM2784	-08	-08
FCM2426	—	FCM2785	-10	-10
—	—	FCM2786	-12	-12
—	—	FCM2787	-16	-16
—	—	FCM2788	-20	-20

90° ELBOW BULKHEAD UNION¹ (AN 833)

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size
FCM2799	FCM5799	FCE2799	FCM2790	-03	-03
FCM2081	FCM5081	FCE2081	FCM2791	-04	-04
—	—	—	FCM2792	-05	-05
FCM2082	FCM5082	FCE2082	FCM2793	-06	-06
FCM2083	FCM5083	FCE2083	FCM2794	-08	-08
FCM2084	FCM5084	FCE2084	FCM2795	-10	-10
FCM2085	FCM5085	—	FCM2796	-12	-12
FCM2086	—	—	FCM2797	-16	-16
—	—	—	FCM2798	-20	-20

AN [illegible]

&[illegible]

FB-[illegible]

M[illegible]

FC-[illegible]

PERFORMANCE PRODUCTS
An Eaton Brand

BULKHEAD TEE[1] (AN 834)

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Dash Size	"C" Dash Size
FCM2808	—	FCM2800	-03	-03	-03
FCM2091	FCM5091	FCM2801	-04	-04	-04
—	—	FCM2802	-05	-05	-05
FCM2092	—	FCM2803	-06	-06	-06
FCM2093	—	FCM2804	-08	-08	-08
FCM2899	—	FCM2805	-10	-10	-10
—	—	FCM2806	-12	-12	-12
—	—	FCM2807	-16	-16	-16

BULKHEAD RUN TEE[1] (AN 804)

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	Steel Packaged Part No.	"A" Dash Size	"B" Dash Size	"C" Dash Size
FCM2815	FCM5815	FCE2815	FCM2809	-03	-03	-03
FCM2117	—	—	—	-04	-04	-04
FCM2118	—	—	FCM2811	-06	-06	-06
FCM2180	—	—	FCM2812	-08	-08	-08
FCM2816	—	—	FCM2813	-12	-12	-12
—	—	—	FCM2814	-16	-16	-16

BULKHEAD MALE CONNECTOR[2]

A B

Steel Packaged Part Number	"A" Dash Size	"B" Pipe Size INCHES
FCM2831	-04	1/4
FCM2832	-08	3/8
FCM2833	-10	1/2
FCM2834	-12	3/4
FCM2835	-16	1

BULKHEAD FEMALE CONNECTOR[2]

A B

Steel Packaged Part Number	"A" Dash Size	"B" Pipe Size INCHES
FCM2821	-04	1/8
FCM2822	-08	3/8
FCM2823	-10	1/2
FCM2824	-12	3/4
FCM2825	-16	1

LOCKNUT (AN 924)

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	Steel Packaged Part Number	Dash Size	Number Per Package
FCM3556	FCM5556	FCE3556	FCM2095	-03	2
FCM2099	FCM5099	FCE2099	FCM2096	-04	2
—	—	—	FCM2097	-05	2
FCM2100	FCM5100	FCE2100	FCM2098	-06	2
FCM2103	FCM5103	FCE2103	FCM3584	-08	1
FCM2104	FCM5104	FCE2104	FCM3585	-10	1
FCM2105	FCM5105	FCE2105	FCM3586	-12	1
FCM2106	FCM5106	FCE2106	FCM3587	-16	1
FCM3833	—	—	FCM3588	-20	1

AN [illegible]
[1] A[illegible]NOT [illegible]DO [illegible]
[2] L[illegible]

UNION TEE (AN 824)

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Dash Size	"B" Dash Size	"C" Dash Size
FCM2060	FCM5060	FCE2060	-03	-03	-03
FCM2061	FCM5061	FCE2061	-04	-04	-04
FCM2062	FCM5062	FCE2063	-06	-06	-06
FCM2063	FCM5063	FCE2064	-08	-08	-08
FCM2064	FCM5064	—	-10	-10	-10
FCM2065	FCM5065	—	-12	-12	-12
FCM2066	—	—	-16	-16	-16

MALE BRANCH TEE (AN 825)

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Dash Size	"B" Dash Size	"C" Pipe Size INCHES
FCM2187	FCM5187	FCE2187	-03	-03	1⁄8
FCM2121	FCM5121	FCE2121	-04	-04	1⁄8
FCM2122	FCM5122	FCE2122	-06	-06	1⁄4
FCM2123	FCM5123	—	-08	-08	3⁄8
FCM2251	—	—	-10	-10	3⁄8
FCM2252	—	—	-12	-12	34

MALE RUN TEE (AN 826)

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Anodized Packaged Part Number	Steel Packaged Part Number	"A" Dash Size	"B" Pipe Size	"C" Dash Size INCHES
FCM2714	FCM5714	FCM2700	-03	1⁄8	-03
FCM2124	FCM5124	FCM2701	-04	1⁄8	-04
—	—	FCM2703	-04	1⁄4	-04
—	—	FCM2702	-05	1⁄8	-05
FCM2125	FCM5125	FCM2704	-06	1⁄4	-06
—	—	FCM2705	-06	3⁄8	-06
FCM2126	FCM5126	FCM2706	-08	3⁄8	-08
—	—	FCM2707	-08	1⁄2	-08
—	—	FCM2708	-10	1⁄2	-10
FCM2298	—	FCM2709	-10	3⁄4	-10
FCM2299	—	FCM2710	-12	3⁄4	-12
—	—	FCM2711	-16	1	-16
—	—	FCM2712	-20	1 1⁄4	-20

FEMALE PIPE FLARE TEE

A B C

Steel Packaged Part Number	"A" Dash Size	"B" Dash Size INCHES	"C" Pipe Size
FCM2881	-03	-03	1⁄8
FCM2882	-04	-04	1⁄8
FCM2883	-04	-04	1⁄4
FCM2884	-06	-06	1⁄4
FCM2885	-08	-08	3⁄8

FEMALE PIPE FLARE TEE

A B C

Steel Packaged Part Number	"A" Dash Size	"B" Pipe Size	"C" Dash Size INCHES
FCM2817	-03	1⁄8	-03
FCM2818	-04	1⁄8	-04
FCM2819	-04	1⁄4	-04

FEMALE FLARE TEE[1]

A B C

Aluminum Blue Anodized Packaged Part Number	"A" Dash Size	"B" Dash Size	"C" Dash Size
FCM2173	-04	-04	-04
FCM2174	-06	-06	-06
FCM2175	-08	-08	-08
FCM2176	-10	-10	-10
FCM2177	-12	-12	-12

TEE WITH FEMALE ON THE BOTTOM

C A B

Aluminum Blue Anodized Packaged Part Number	"A" Dash Size	"B" Dash Size	"C" Dash Size
FCM2281	-4	-4	-4
FCM2282	-6	-6	-6
FCM2283	-8	-8	-8
FCM2284	-10	-10	-10
FCM2285	-12	-12	-12
FCM2286	-16	-16	-16

FEMALE PIPE TEE (AN 917)

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Packaged Part Number	Aluminum Nickel-Plated Packaged Part Number	"A" Pipe Size INCHES	"B" Pipe Size INCHES	"C" Pipe Size INCHES
FCM2150	FCM5150	FCE2150	1/8	1/8	1/8
FCM2151	FCM5151	—	1/4	1/4	1/4
FCM2152	FCM5152	—	3/8	3/8	3/8

FEMALE ON THE RUN TEE

A B C

Aluminum Blue Anodized Packaged Part Number	Aluminum Black Packaged Part Number	"A" Dash Size	"B" Dash Size	"C" Dash Size
FCM2254	FCM5254	-04	-04	-04
FCM2255	FCM5255	-06	-06	-06
FCM2256	FCM5256	-08	-08	-08
FCM2257	—	-10	-10	-10
FCM2258	—	-12	-12	-12
FCM2259	—	-16	-16	-16

Jî î*îĈą¡ĉ< :*ĉ0: I*ĉL?ĉ¹đ¡ĉ3=S*IL*)ĉ0: I*

[Short; 2 per package]

A B

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size	Length INCHES
FCM2926	-03	3/8 - 24	1.07
FCM2927	-04	3/8 - 24	1.14
FCM2928	-03	3/8 - 24	1.07
FCM2929	-03	7/16 - 24	1.14
FCM2930	-04	7/16 - 24	1.14
FCM2931	-04	1/2 - 20	1.16

Note: FCM2926 has a 9/16" hex and FCM2928 has a 7/16" hex.

Jî î*îĈą¡ĉ< :*ĉ0: I*ĉL?ĉ0*< :*ĉ3=S*IL*)ĉ FLARE TEE

[1 per package]

A A B

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size
FCM2909	-03	3/8 - 24
FCM2910	-04	3/8 - 24

Jî î*îĈą¡ĉ< :*ĉ0: I*ĉL?ĉ¹đ¡ĉ< :*ĉ INVERTED FLARE

[Long 2-3/8"; 2 per package]

A B

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size
FCM2932	-03	3/8 - 24
FCM2933	-04	3/8 - 24
FCM2934	-03	7/16 - 24
FCM2935	-04	7/16 - 24

Jî î*îĈą¡ĉ< :*ĉ0: I*ĉL?ĉĈG¡ĉ3=S*IL*)ĉ0: I*

[Short; 2 per package]

A B

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size	Length INCHES
FCM2950	-04	7/16 - 20	2.50
FCM2925	-04	7/16 - 20	1.33

Jî î*îĈą¡ĉ< :*ĉ0: I*ĉĈL?ĉ0*< :*ĉ INVERTED FLARE

[2 per package]

A B

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size
FCM2936	-03	3/8 - 24
FCM2937	-04	3/8 - 24

[1] Ct MIL AN Fl Hd D-ig (AN 816, AN 919, AB 832 aD-ig BsPlg Rd Pg 24 fO-ig

Jî î*îĈČą¡Ĉ0: I*ĈL?Ĉ& =8?

[2 per package]

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size
FCM2949	-03	3⁄8
FCM2938	-04	3⁄8
FCM2939	-03	7⁄16
FCM2940	-04	7⁄16

Jî î*îĈ& =8?Ĉ&?:L

[1 per package]

Steel Packaged Part Number	"A" Thread Size	Crushwasher[1] Part Number
FCM2921	3⁄8-24	FCM3642
FCM2922	7⁄16-20	FCM3513

Jî î*îĈČą¡Ĉ< :*Ĉ0: I*ĈL?Ĉ<*LI3'Ĉ0: I*

[2 per package]

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size

P6/.jEMC c03 ( )TjEMC 5.1e./Spanc03e

Jî î*îĈČą¡Ĉ< :*Ĉ0: I*ĈL?Ĉ0*< :*Ĉ<*LI3'Ĉ0: I*

[2 per package]

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size
FCM2945	-03	10mm x 1
FCM2946	-04	10mm x 1

Jî î*îĈČą¡Ĉ< :*Ĉ0: I*ĈL?Ĉ<*LI3'Ĉ& =8?

[2 per package]

Steel Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size
FCM2947	-03	10mm
FCM2948	-04	10mm

METRIC BANJO BOLT

[1 per package]

Steel Packaged Part Number	"A" Thread Size	Crushwasher[1] Part Number
FCM2923	10mm x 1.25	FCM3642
FCM2968	10mm x 1.5	FCM3642

PERFORMANCE PRODUCTS
An Eaton Brand

BANJO FITTINGS – For Use with AQP® and Startlite® Racing Hose

Packaged Part Number	Hose Fitting Size	Application
FCM1066	-06	Banjo Fitting for Holley Single Feed 600-660 Series and all two barrel series with 9/16 -24 thread Replacement Crushwasher FCM3627
FCM1067	-06	Banjo Fitting for Weber bowls with 12mm x 1.5 thread Replacement Crushwasher
FCM1070	-06	Banjo Fitting for Solex Carburetors with 12mm x 1.25 thread Replacement Crushwasher FCM3627
FCM1069	-06	Banjo Fitting for multiple carb application Holley 600-660 Series with 9/16 - 24 thread Replacement Crushwasher FCM3627
FCM1068	-06	Banjo Fitting for multiple carb application Weber 12mm x 1.5 thread Replacement Crushwasher FCM3627

Refer to Page 37 for Replacement Crushwashers and Replacement O-rings.

FUEL PUMP ADAPTERS

Blue Anodized Packaged Part Number	Hose Fitting Size	Application
FCM2108	-06	Inverted Flare 5/8-18 thread
FCM2111	-06	Inverted Flare 1/2-20 thread
FCM2185	-10	3/8 Male pipe to Flare for Holley Electric Fuel Pumps

Jî î*îČą¡Ĉ< :*Ĉ0: I*ĈL?Ĉ¹đ¡Ĉ3=S*IL*)Ĉ0: I*

A B

Packaged Part Number	"A" Hose Fitting Dash Size	"B" Brake Thread Size	Length INCHES
FCM2181	-03	1/2-20	1.07
FCM2182	-04	1/2-20	1.14

MALE NICKEL-PLATED FUEL PUMP ADAPTER

Packaged Part Number	Hose Fitting Dash Size	Thread Size INCHES
FCE2185	-10	3/8

PRO CLAMP [illegible] PRO CLAMP [illegible]

SPECIFICATIONS AND ORDERING INFORMATION

Hose Dash Size	Packaged Part Number	Hose I.D. INCHES	Hose O.D. INCHES
-04	FCM1001	.22	.44
-06	FCM1002	.34	.55
-08	FCM1003	.44	.65
-10	FCM1004	.56	.80
-12	FCM1005	.69	.94

Please see Page 46 for assembly instructions.

SPECIFICATIONS AND ORDERING INFORMATION

Hose Dash Size	Packaged Part Number	Hose I.D. INCHES	Hose O.D. INCHES
-16	FCM1006	.88	1.15
-20	FCM1007	1.13	1.41
-24	FCM1008	1.34	1.70
-28	FCM1010	1.62	1.88
-32	FCM1009	1.75	2.09

PRO CLAMP [illegible]

SPECIFICATIONS / ORDERING INFORMATION

Nominal I.D. INCHES	Hose O.D. Range INCHES	Overbraid I.D. INCHES	Bulk Part Number	Packaged Length Part Number 3 Feet	6 Feet	10 Feet	15 Feet	20 Feet
3/4	1/2 to 1	3/4	FBR1200	FCR1203	FCR1206	FCR1210	FCR1215	FCR1220
1 1/2	1 1/2 to 2 1/4	1 1/2	FBR2400	FCR2403	FCR2406	FCR2410	FCR2415	FCR2420

Please see Page 46 for [illegible]

Eth[illegible]

SPECIFICATIONS AND ORDERING INFORMATION

Hose Dash Size	Bulk Part Number	Description	Length Feet
-08	FBM3412	.51” OD	20
-12	FBM3413	.73” OD	20
-16	FBM3414	.94” OD	20

TechTip

Vacuum: One of the most severe applications of a hose is in vacuum service. Modern dry sump oil systems are pulling more vacuum than ever. It is extremely important that you match the hose you are using with the vacuum rating of your application. Eaton offers racing hoses with vacuum rating of up to 28 in./HG (Check hose specifications for vacuum rating). Great care should be taken in the handling and routing of hoses used in vacuum service. If a hose is installed beyond the minimum bend radius the vacuum rating will be reduced. Also, if a hose has been kinked or damaged and then put in vacuum service, the area that was kinked or damaged will be a weak spot and the vacuum rating of the hose will be reduced. For severe vacuum applications, an internal support coil may be needed. Contact Eaton Technical Support for additional information.

J Ě ĉsÃ§ăĉĚ ĉĉÃĉĉÃ§ĉĚ }§ăĉĉă§ÍŝsĉÚÖ
of features and design flexibility

[illegible]

AlEbăp [illegible] ® [illegible]

Features and Benefits

- O[illegible]
- Op[illegible]
- Od[illegible]
- Mi[illegible]
- [illegible]
- Me[illegible]
- Me[illegible]

8510 **8511** **8512**

éé Í ĉs[ĉÚÖā

- [illegible]
- A[illegible]

J é§ĉs£µs[ĉÚÖā

- [illegible] MIL-[illegible]-108E [illegible] IP68
- [illegible]
- [illegible] -500F to +1500F (-460C to +660C)
- L[illegible] 20,000 [illegible]
- B[illegible] 15/32”-32 [illegible]

CURRENT RATINGS

No of Poles	Catalog No.	Type of Operation	28VDC Lamp Load	28VDC Resistive Load	28VDC Inductive Load	115VAC 60 or 400Hz Lamp Load	115VAC 60 or 400Hz Resistive Load	115VAC 60 or 400Hz Inductive Load
1	8510	Maintained	5	20	15	3	15	10
		Momentary	4	15	10	2	15	7
2	8511	Maintained	7	20	15	4	15	15
		Momentary	5	18	10	2	11	8
4	8512	Maintained	5	20	12	4	15	15
		Momentary	4	18	10	2	11	8

Up Position	Center Position	Down Position Position (Keyway)	Catalog Number	Catalog Number	Catalog Number
ON	OFF	ON	8510K1	8511K1	8512K1
ON	NONE	OFF	K9	K9	K9
ON	NONE	ON	K4	K4	K4
ON	OFF	NONE	K6	K6	K6
ON	OFF*	NONE	K8	K8	K8
ON	NONE	ON*	8510K5	8511K5	8512K5
ON*	OFF	ON*	K2	K2	K2
NONE	OFF	ON*	K7	K7	K7
ON	NONE	OFF	K10	K10	K10
OFF	NONE	ON*	K11	K11	K11
ON	OFF	ON*	8510K3	8511K3	8512K3
ON*	ON	NONE	K12	K12	K12
ON	ON	NONE	K13	K13	K13
ON	ON	ON	—	8511K14	8512K16
ON	ON	ON*	—	K15	K16
ON*	ON	ON*	—	K16	K17
ON	ON	ON	—	8511K17	—
ON	ON	ON*	—	K18	—
ON*	ON	ON*	—	K19	—

O[illegible] 497KIC [illegible]
* M[illegible]

&ëÍÌ¢Úp¢ı§¢[ÄÎ¢G[sÌ[»§}¢G[p¢ä

FB-[illegible]

M[illegible]

FC-[illegible]

[illegible]

[illegible]

FT1380 DIE CRIMP ORDERING INFORMATION

FT1380-1-1	Includes machine, five die cages (-4, -16), instruction video.
FT1380-115	Crimp machine only.
FT1380-275-M370	-20 crimp die cage

Features

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- ENERPAC® [illegible]

Benefits

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

- [illegible] AQP [illegible] ® [illegible] ® [illegible]

O

-

TORQUE SPECIFICATION GUIDELINES

Nut Size	Minimum Torque[1]	Maximum Torque[1]
-02	50	80
-03	70	105
-04	100	140
-05	130	180
-06	150	195
-08	270	350
-10	360	430
-12	460	550
-16	700	840
-20	850	1020
-24	900	1080
-32	1800	2000

[1]

Please note that these methods are for aluminum

é§þ´Úþ Ñ [Ös§ĉµĊĊ£Ö»ãĉ[Ö}ĉ[}[éĊ§þãî

Remember, overtightening will result in possible

}[Ñ[»§ĉĊÚĉĊÃ§ĉµĊĊ£Ö»zĉþ§ãēÍĊ£Ö»ĉ£ÖĊéÚãã£ i Í§ĉÍ§[ì ãî

ALTERNATE TIGHTENING METHOD ONE

Flats Method

H

A

1.

2.

3.

Size	Number of Hex Flats Rotations
-04	1 1/2 to 1 3/4
-06	1 to 1 1/2
-08	1 1/4 to 1 3/4
-10	1 1/4 to 1 3/4
-12	1 to 1 1/2
-16	3/4 to 1
-20	1/2 to 3/4
-24	1/2 to 3/4



M

M

Alternate Tightening Method Two

B

M

INCH AND MILLIMETER EQUIVALENTS

Inches Fractions	Inches Decimals	Millimeters Decimals	Inches Fractions	Inches Decimals	Millimeters Decimals
1/64	.016	.397	7/32	.219	5.556
1/32	.031	.794	15/64	.234	5.953
3/64	.047	1.191	1/4	.250	6.350
1/16	.063	1.588	17/64	.266	6.747
5/64	.078	1.984	9/32	.281	7.144
3/32	.094	2.381	19/64	.297	7.541
7/64	.109	2.778	15/16	.313	7.938
1/8	.125	3.175	21/64	.328	8.334
9/64	.141	3.572	11/32	.344	8.731
5/32	.156	3.969	23/64	.359	9.128
11/64	.172	4.366	3/8	.375	9.525
3/16	.188	4.763	25/64	.391	9.922
13/64	.203	5.159	13/32	.406	10.319

CONVERTING UNITS OF MEASURE

Multiply	By	To Obtain
Atmospheres	14.70	Pounds/ square inch
Atmospheres	1.013	Bars
Bars	0.9869	Atmospheres
Bars	14.50	Pounds/ square inch
Centimeters	0.3937	Inches
Feet	0.3048	Meters
Gallons	231	Cubic inches
Gallons	3.785	Liters
Gallons (Imperial)	1.20105	U.S. gallons
Gallons (U.S.)	0.83267	Imperial gallons
Gallons (water)	8.3453	Pounds of water
Gallons/ feet/hour	8.0208	Cubic minute
Horsepower	745.7	Watts
Inches of mercury	1.133	Feet of water
Kilometers	0.6214	Miles
Liters	0.03531	Cubic feet
Liters	61.02	Cubic inches

Multiply	By	To Obtain
Liters	0.2642	Gallons
Meters	3.281	Feet
Meters	39.37	Inches
Microns	10^{-6}	Meters
Miles	5280	Feet
Miles	1.609	Kilometers
Miles/hour	1.609	Kilometers/ hour
Miles/hour	0.8684	Knots
Ounces	0.0625	Pounds
Ounces	28.34952	Grams
Ounces (fluid)	1.805	Cubic inches
Ounces (fluid)	0.02957	Liters
Pounds	453.5924	Grams
Pounds of water	0.1198	Gallons
Pounds/ square inch	0.06804	Atmospheres
Temp. (°C)	1.8	+32 Temp. (°F)
Temp. (°F) -32	5/9	Temp. (°C)







Maintenance

Cleaning

Inspection

Hydrostatic Proof Testing

Caution



Example

At13 L[illegible]

Solution

Le13 L[illegible]
10 [illegible]
[illegible] Lg[illegible]
[illegible]



onversion Factors

[illegible]
[illegible]
[illegible]
0.83267.
[illegible]
[illegible]
[illegible]
[illegible]
1.20105.
[illegible]
[illegible]
3.785.
[illegible]
[illegible]
0.2642.

J§þę£s§Ĉ:£´§ĈO[sĊÚþā

H[illegible]

Operating Pressure

E[illegible]

Pressure Surges

A[illegible]

Burst Pressure

[illegible]80 [illegible]

High Pressure

H[illegible]250

Operating Temperatures

O[illegible]

Ambient Temperatures

[illegible]

Bend Radius

R[illegible]

'Ã§Ñ£s[ÍĈI§ā£āĈ[Ös§

C[illegible]fit

O-[illegible]

S[sēēÑĈJ§þę£s§

M[illegible]16

[illegible]16 [illegible]

2Úā§Ĉ āā§Ñ iÍĜĈ3ÖāéÉ§sĊ£ÚÖ

H[illegible]

Ĉ'[ēĊ£ÚÖĈ[iÚēĊĈ0ē§ÍĈ3ÖÉ§sĊ£ÚÖ

Al[illegible]

FF13333

[illegible]

INVENTORY

Part Number	Description	Qty.	Part Number	Description	Qty.	Part Number	Description	Qty.
FCM1012	-6 Strt Reus Fitting	2	FCM1013	-8 Strt Reus Fitting	2	FCM4025	-12 45° Reus Fitting	2
FCM4022	-6 45° Reus Fitting	2	FCM4023	-8 45° Strt Reus Fitting	2	FCM4035	-12 90° Reus Fitting	2
FCM4032	-6 90° Reus Fitting	2	FCM4033	-8 90° Strt Reus Fitting	2	FCM2010	FStrt -12 AN to -1/2 Pipe	2
FCM4042	-6 120° Reus Fitting	2	FCM2007	Strt -8 AN to -3/8 Pipe	2	FCM2017	F90° -12 AN to -1/2 Pipe	2
FCM2002	Strt -4 AN to 1/4 Pipe	2	FCM4037	-8 AN to -3/8 Pipe	2	FCM3671	Allen Plug 1/2″ Pipe	2
FCM2006	Strt -6 AN to -3/8 Pipe	2	FCM2110	Carb -8 AN to 7/8-20	2	FCM3675	Tube Nut -6	2
FCM2022	45° -6 AN to -1/4 Pipe	2	FCM1014	-10 Strt Reus Fitting	2	FCM3676	Tube Sleeve -6	2
FCM2035	90° -6 AN to -3/8 Pipe	2	FCM4024	-10 45° Reus Fitting	2	FCM3672	Tube Sleeve -8	2
FCM2114	Carb -6 AN to 7/8-20	2	FCM4034	-10 90° Reus Fitting	2	FCA0606	-6 AQp Racing Hose (6″)	2
FCM2111	Fuel -6 to 1/2-20 Inv. Flare	2	FCM2010	Strt -10 AN to 1/2 Pipe	2	FCA0803	-8 AQP Racing Hose (3″)	2
FCM2052	Flare Union -6 AN/-6 AN	2	FCM2039	90° -10 AN to -1/2 Pipe	2	FCA0806	-8 AQP Racing Hose (6″)	2
FCM3749	Allen Plug 1/2″ Pipe	2	FCM1015	-12 Strt Reus Fitting	2	FF13365	Merchandiser	1

FF14619

[illegible] *SOCKETLESS™* [illegible]

INVENTORY

Part Number	Description	Qty.	Part Number	Description	Qty.	Part Number	Description	Qty.
FCE1512	-6 Strt Sktls Fitting	2	FCE1533	-8 90° Stkls Fitting	2	FCE2035	-6 90° Adapter	2
FCE1513	-8 Strt Sktls Fitting	2	FCE1534	-10 90° Sktls Fittin	2	FCE2037	-8 90° Adapter	2
FCE1514	-10 Strt Sktls Fitting	2	FCE2005	-6 AN to Pipe Adapter	2	FCE2039	-10 90° Adapter	2
FCE1522	-6 45° Sktls Fitting	2	FCE2007	-8 AN to Piper Adapter	2	FCN0615	-6 Sktls Hose	15″
FCE1523	-8 45° Sktls Fitting	2	FCE2010	-10 AN to Pipe Adapter	2	FCN0815	-8 Sktls Hose	15″
FCE1524	-10 45° Sktls Fitting	2	FCE2022	-6 45° Adapter	2	FCN1015	-10 Sktls Hose	15″
FCE1532	-6 90° Sktls Fitting	2	FCE2023	-8 45° Adapter	2	FF13365	Merchandiser	1

FF13565

[illegible] A/C [illegible]

INVENTORY

Part Number	Description	Qty.	Part Number	Description	Qty.	Part Number	Description	Qty.
FCE1712	-6 Strt Reus Fitting	2	FCE1724	-10 45° Reus Fitting	2	FCM3417	-8 Refrigerant O-rings	2
FCE1713	-8 Strt Reus Fitting	2	FCE1732	-6 90° Reus Fitting	2	FCM3418	-10 Refrigerant O-rings	2
FCE1714	-10 Strt Reus Fitting	2	FCE1733	-8 90° Reus Fitting	2	FCF0603	-6 A/C Hose (3″)	2
FCE1722	-6 45° Strt Reus Fitting	2	FCE1734	-10 90° Reus Fitting	2	FCF0803	-8 A/C Hose (3″)	2
FCE1723	-8 45° Strt Reus Fitting	2	FCM3416	-6 Refrigerant O-rings	2	FCF1003	-10 A/C Hose (3″)	2

FF13365

- [illegible]
- [illegible]
- [illegible]

‡ 35 [illegible]

[illegible]

Part Number	Page
FCM2404	26
FCM2405	26
FCM2406	26
FCM2407	26
FCM2408	21
FCM2409	21
FCM2410	21
FCM2411	21
FCM2413	21
FCM2414	21
FCM2416	21
FCM2421	21
FCM2422	21
FCM2430	14
FCM2431	14
FCM2432	14
FCM2491	23
FCM2492	23
FCM2493	23
FCM2494	23
FCM2495	23
FCM2496	23
FCM2497	23
FCM2498	23
FCM2499	23
FCM2500	23
FCM2511	19
FCM2512	19
FCM2513	19
FCM2514	19
FCM2515	19
FCM2516	19
FCM2517	19
FCM2518	19
FCM2519	19
FCM2520	19
FCM2521	19
FCM2522	19
FCM2523	19
FCM2524	19
FCM2525	19
FCM2526	19
FCM2527	19
FCM2528	19
FCM2529	19
FCM2530	19
FCM2531	19
FCM2532	19
FCM2533	19
FCM2534	19
FCM2535	19
FCM2536	19
FCM2537	19
FCM2538	19
FCM2539	19

Part Number	Page
FCM2540	19
FCM2541	19
FCM2542	19
FCM2543	19
FCM2544	19
FCM2545	19
FCM2546	19
FCM2547	19
FCM2581	20
FCM2582	20
FCM2583	20
FCM2584	20
FCM2585	20
FCM2586	20
FCM2587	20
FCM2588	20
FCM2589	20
FCM2590	20
FCM2591	20
FCM2592	20
FCM2593	20
FCM2594	20
FCM2595	20
FCM2596	20
FCM2597	20
FCM2598	20
FCM2599	20
FCM2600	20
FCM2601	20
FCM2602	20
FCM2603	20
FCM2608	18, 25
FCM2609	18, 25
FCM2610	20
FCM2611	20
FCM2612	20
FCM2613	20
FCM2614	20
FCM2615	20
FCM2616	20
FCM2617	20
FCM2618	20
FCM2619	20
FCM2620	20
FCM2621	20
FCM2622	20
FCM2623	20
FCM2624	20
FCM2625	20
FCM2626	20
FCM2627	20
FCM2628	20
FCM2629	20
FCM2630	20
FCM2631	20

Part Number	Page
FCM2632	20
FCM2633	20
FCM2634	20
FCM2635	20
FCM2636	20
FCM2637	20
FCM2638	20
FCM2639	20
FCM2700	28
FCM2701	28
FCM2702	28
FCM2703	28
FCM2704	28
FCM2705	28
FCM2706	28
FCM2707	28
FCM2708	28
FCM2709	28
FCM2710	28
FCM2711	28
FCM2712	28
FCM2714	28
FCM2719	20
FCM2720	20
FCM2721	20
FCM2722	20
FCM2723	20
FCM2724	20
FCM2725	20
FCM2726	20
FCM2727	20
FCM2728	20
FCM2729	20
FCM2730	20
FCM2731	20
FCM2732	20
FCM2733	20
FCM2734	20
FCM2735	20
FCM2736	20
FCM2737	20
FCM2749	21
FCM2750	21
FCM2751	21
FCM2752	21
FCM2753	21
FCM2754	21
FCM2755	21
FCM2756	21
FCM2757	21
FCM2758	21
FCM2759	21
FCM2760	21
FCM2761	21
FCM2762	21

Part Number	Page
FCM2763	21
FCM2764	21
FCM2765	21
FCM2766	21
FCM2769	26
FCM2770	26
FCM2771	26
FCM2772	26
FCM2773	26
FCM2774	26
FCM2775	26
FCM2776	26
FCM2777	26
FCM2778	26
FCM2779	26
FCM2781	26
FCM2782	26
FCM2783	26
FCM2784	26
FCM2785	26
FCM2786	26
FCM2787	27
FCM2788	26
FCM2790	26
FCM2791	26
FCM2792	26
FCM2793	26
FCM2794	26
FCM2795	26
FCM2796	26
FCM2797	26
FCM2798	26
FCM2799	26
FCM2800	27
FCM2801	27
FCM2802	27
FCM2803	27
FCM2804	27
FCM2805	27
FCM2806	27
FCM2807	27
FCM2808	27
FCM2809	27
FCM2811	27
FCM2812	27
FCM2813	27
FCM2814	27
FCM2815	27
FCM2817	28
FCM2818	28
FCM2819	28
FCM2821	27
FCM2822	27
FCM2823	27
FCM2824	27

Part Number	Page
FCM2825	27
FCM2831	27
FCM2832	27
FCM2833	27
FCM2834	27
FCM2835	27
FCM2871	26
FCM2872	26
FCM2873	26
FCM2874	26
FCM2875	26
FCM2876	26
FCM2877	26
FCM2878	26
FCM2879	26
FCM2880	26
FCM2881	28
FCM2882	28
FCM2883	28
FCM2884	28
FCM2885	28
FCM2893	26
FCM2909	29
FCM2910	29
FCM2914	22
FCM2915	22
FCM2916	22
FCM2917	22
FCM2918	22
FCM2919	22
FCM2921	30
FCM2922	30
FCM2923	30
FCM2925	29
FCM2926	29
FCM2927	29
FCM2928	29
FCM2929	29
FCM2930	29
FCM2931	29
FCM2932	29
FCM2933	29
FCM2934	29
FCM2935	29
FCM2936	29
FCM2937	29
FCM2938	30
FCM2939	30
FCM2940	30
FCM2941	30
FCM2942	30
FCM2943	30
FCM2944	30
FCM2945	30
FCM2946	30

Part Number	Page
FCM2947	30
FCM2948	30
FCM2949	30
FCM2950	29
FCM2953	25
FCM2954	25
FCM2955	25
FCM2956	25
FCM2957	25
FCM2958	25
FCM2959	25
FCM2960	25
FCM2961	33
FCM2963	18, 25
FCM2964	18, 25
FCM2965	18, 25
FCM2966	30
FCM2967	30
FCM2968	30
FCM2971	22
FCM2972	22
FCM2973	22
FCM2974	22
FCM2976	22
FCM2978	22
FCM2979	22
FCM2980	22
FCM2981	22
FCM2982	22
FCM2992	25
FCM2993	25
FCM2995	25
FCM2996	25
FCM2997	25
FCM2998	25
FCM2999	25
FCM3001	25
FCM3002	25
FCM3003	25
FCM3081	36
FCM3082	36
FCM3083	36
FCM3084	36
FCM3085	36
FCM3086	36
FCM3087	36
FCM3088	16
FCM3089	16
FCM3091	16
FCM3092	16
FCM3117	35
FCM3118	35
FCM3119	35
FCM3120	35
FCM3121	35

Part Number	Page
FCM3122	35
FCM3123	35
FCM3124	35
FCM3125	35
FCM3126	35
FCM3127	35
FCM3128	35
FCM3129	35
FCM3130	35
FCM3131	35
FCM3132	35
FCM3133	35
FCM3134	35
FCM3135	35
FCM3136	35
FCM3137	35
FCM3362	40
FCM3410	41
FCM3416	14
FCM3417	14
FCM3418	14
FCM3462	37
FCM3463	37
FCM3464	37
FCM3465	37
FCM3466	37
FCM3467	37
FCM3468	37
FCM3469	37
FCM3470	37
FCM3472	37
FCM3473	37
FCM3474	37
FCM3475	37
FCM3476	37
FCM3477	37
FCM3479	24
FCM3480	24
FCM3481	37
FCM3482	37
FCM3483	37
FCM3484	37
FCM3485	37
FCM3486	37
FCM3487	37
FCM3488	37
FCM3489	31
FCM3497	37
FCM3498	37
FCM3499	37
FCM3513	37
FCM3514	37
FCM3515	37
FCM3516	37
FCM3517	37

Part Number	Page
FCM3534	37
FCM3535	37
FCM3536	37
FCM3537	37
FCM3538	37
FCM3554	24
FCM3555	24
FCM3556	27
FCM3566	24
FCM3567	24
FCM3570	24
FCM3571	24
FCM3572	24
FCM3573	24
FCM3574	24
FCM3575	24
FCM3576	24
FCM3577	24
FCM3578	24
FCM3584	27
FCM3585	27
FCM3586	27
FCM3587	27
FCM3588	27
FCM3591	24
FCM3601	24
FCM3602	24
FCM3603	24
FCM3604	24
FCM3605	24
FCM3627	37
FCM3642	37
FCM3644	39
FCM3661	41
FCM3662	40
FCM3663	40
FCM3664	40
FCM3667	24
FCM3668	24
FCM3669	24
FCM3670	24
FCM3671	24
FCM3672	24
FCM3673	24
FCM3674	24
FCM3675	24
FCM3676	24
FCM3677	24
FCM3678	24
FCM3679	24
FCM3680	24
FCM3681	24
FCM3682	24
FCM3683	24
FCM3684	24

Part Number	Page
FCM3685	24
FCM3686	24
FCM3687	24
FCM3696	24
FCM3697	24
FCM3698	24
FCM3701	24
FCM3702	24
FCM3703	24
FCM3704	24
FCM3705	24
FCM3706	24
FCM3707	24
FCM3708	24
FCM3712	24
FCM3713	24
FCM3714	24
FCM3715	24
FCM3716	24
FCM3717	24
FCM3718	24
FCM3719	24
FCM3720	16
FCM3721	16
FCM3722	24
FCM3723	24
FCM3724	24
FCM3725	24
FCM3726	24
FCM3727	24
FCM3740	24
FCM3741	24
FCM3742	24
FCM3743	24
FCM3744	24
FCM3749	24
FCM3750	24
FCM3751	24
FCM3752	24
FCM3821	16
FCM3822	16
FCM3823	16
FCM3824	16
FCM3827	24
FCM3828	24
FCM3829	24
FCM3830	24
FCM3831	24
FCM3832	24
FCM4022	8
FCM4023	8
FCM4024	8
FCM4025	8
FCM4026	8
FCM4032	9

Part Number	Page
FCM4033	9
FCM4034	9
FCM4035	9
FCM4036	9
FCM4042	9
FCM4043	9
FCM4044	9
FCM4045	9
FCM4046	9
FCM4052	10
FCM4053	10
FCM4054	10
FCM4055	10
FCM4056	10
FCM4062	10
FCM4063	10
FCM4064	10
FCM4065	10
FCM4066	10
FCM4072	7
FCM4073	7
FCM4074	7
FCM4075	7
FCM4076	7
FCM4082	8
FCM4083	8
FCM4084	8
FCM4085	8
FCM4086	8
FCM5554	24
FCM5555	24
FCM5567	24
FCM5669	24
FCM5670	24
FCM5671	24
FCM5672	24
FCM5673	24
FCM5674	24
FCM5675	24
FCM5677	24
FCM5678	24
FCM5684	24
FCM5685	24
FCM5686	24
FCM5687	24
FCM5712	24
FCM5713	24
FCM5714	24
FCM5715	24
FCM5716	24
FCM5717	24
FCM5718	24
FCM5719	24
FCM5722	24
FCM5723	24

Part Number	Page
FCM5724	24
FCM5725	24
FCM5726	24
FCM5727	24
FCM5740	24
FCM5741	24
FCM5742	24
FCM5743	24
FCM5744	24
FCM5749	24
FCM5750	24
FCM5751	24
FCM5752	24
FCM5827	24
FCM5828	24
FCM5829	24
FCM5830	24
FCM5831	24
FCM5832	24
FCM5953	25
FCM5954	25
FCM5955	25
FCM5956	25
FCM5992	25
FCM5993	25
FCM5995	25
FCM5996	25
FCM5997	25
FCM5998	25
FCM5999	25
FCM6001	25
FCM6002	25
FCM6003	25
FCM6714	24
FCN0615	11
FCN0620	11
FCN0815	11
FCN0820	11
FCN1015	11
FCN1020	11
FCN1215	11
FCN1220	11
FCP0101	34
FCP0102	34
FCP0107	17
FCP0108	17
FCP0129	34
FCP0134	34
FCP0138	32
FCP0139	32
FCP0140	32
FCR1203	38
FCR1206	38
FCR1210	38
FCR1215	38

Part Number	Page
FCR1220	38
FCR2403	38
FCR2406	38
FCR2410	38
FCR2415	38
FCR2420	38
FCU0406	6
FCU0410	6
FCU0415	6
FCU0420	6
FCU0606	6
FCU0610	6
FCU0615	6
FCU0620	6
FCU0806	6
FCU0810	6
FCU0815	6
FCU0820	6
FCU1006	6
FCU1010	6
FCU1015	6
FCU1020	6
FCU1206	6
FCU1210	6
FCU1215	6
FCU1220	6
FCU1606	6
FCU1610	6
FCU1615	6
FCU1620	6
FCU2006	6
FCU2010	6
FCU2015	6
FCU2020	6
FCV0615	11
FCV0620	11
FCV0815	11
FCV0820	11
FCV1015	11
FCV1020	11
FT1258	40
FT1380-1-1	42
FT1380-115	42
FT1380-275-M370	42
T-400-xx	43

NOTES